

Computer architecture and method for collecting, analyzing and/or transforming internet and/or electronic commerce data for storage into a data storage area

KA Papiermühl, JE Thaisz, AM Dweker - US Patent # 2000 - Google Patents  
... OR ELECTRONIC COMMERCE DATA FOR STORAGE INTO A DATA STORAGE AREA [75 ... 7  
308\* WEB SERVER, DATA WAREHOUSE WEBWAREHOUSE\* WEBTRACK WEBSMART #302 ...  
00 0 CO CGI WEB INTERFACE & FORMS MATHEMATICAL ENGINE FORMATTING CC ...  
Created by 220 - Related articles - All 2 versions

External **data** store link for a profile service

R Kumar ... US Patent 6,343,237, 2002 - Google Patents  
... Similarly, a file system cannot be amended to serve as a directory for other types of devices (eg, an email directory). ... The term data store also includes software applications that act as a shell or proxy for a physical data storage device such as a data access service or a ...  
Caterly 174 - Related articles - All 2 versions

[P8] [A new architecture for managing enterprise log data](#)

A Sah - USENIX Systems Administration (LISA XVI) ... 2002 - usenix.org  
... topics: over 60 GB per day logging **email** traf- fic. • TerraLytics: 75 GB per day of weblogs from 12 major web portals. ... Networking **Data** Management, Indexing, **Storage** ... In this way, you can write custom parsers and use third party libraries (eg, perl modules) to parse the **data** ...  
Contact Us | About Us | Privacy Policy | Terms of Service | Feedback

### Asynchronous protocol framework

PS Jianxin, PS Veselov... : US Patent App. ... : 2002 : freepatentsonline.com  
... example is an in-vehicle **email** system that automatically downloads and reads the driver's **email**. ...  
tier 208 connects to the back-end network 216 through which **data storage** systems (eg ... The joining  
of **data** and operations into a unitary building block is called "encapsulation." ...

Internet server appliance platform with flexible integrated suite of server resources and content delivery capabilities supporting continuous data flow demands and ...

K Akhbari, C Shavers, . . . US Patent App. . . , 2001 - freepatentsonline.com  
 ... IP address from a centralized DHCP server. **Email Server**, The Electronic Mail (**Email**) server handles the routing and transport of **email** messages. ... In this configuration, **data** is received for **storage** and retrieved from **storage** via the Ethernet links ( 42 , 42 ). ...  
 Cached

System and method for **data** transfer acceleration in a TCP network environment

M Reinschmidt · US Patent App. 20,020,673,164, 2000 · freepatentsonline.com  
... 20050102348, Integrated web based **email** system and document **storage** manager, May,  
2005, Parsons et al. ... The various components of the STIC algorithm are: [0111] i. session  
identifier—recognizes start of session and sends **data** to analysis **module**. ...

Internet server appliance platform with flexible integrated suite of server resources and content delivery capabilities supporting continuous data flow demands and ...

K Alkhamil, C Shavare, KS Campbell... US Patent App. 10/... 2001 - Google Patents  
... invention may be employed given proper application software and configuration of **storage blades**,  
**server ... DB)** Databases provide a standard means to store and Server organize **data** so that it ... Email  
Server The Electronic Mail (Email) server handles the routing and transport of ...

Collection and integration of internet and electronic commerce **data** in a database during web browsing

KA Parzeniak, JE Thais... - US Patent 6,128,624, 2000 - Google Patents  
... 7 308 WEB SERVER, \*306 DATA WAREHOUSE WEBWAREHOUSE' WEBTRACK WEBSMART  
-302 INTERNET 300- \*304 ... o C O R A :ly C C h- LU C O Oj < 1- U\_ rz < C C \ CO CO 7 o o  
CO CGI WEB INTERFACE & FORMS MATHEMATICAL ENGINE FORMATTING CC ...  
Copyright 1996 - Related articles - All 2 versions

## Performance comparison of middleware architectures for generating dynamic web content

E.Cochet, A.Chanda, S.Elnikety ... : Proceedings of the ... 5003 - portal.acm.org  
... price and not on performance, such as the requirement to provide enough **storage** for 180 ... The  
database stores all persistent **data** except for the images, which are stored in the ... Customer  
information, includ- ing real name and user name, contact information (**email**, address) and ...  
[\[abstract\]](#) [\[pdf\]](#) [\[related papers\]](#) [in DB Storage](#) [All db versions](#)

Computer architecture and method for validating and collecting and metadata and **data** about the



Cached

Method for identifying copyright infringement violations by fingerprint detection

AC Abajian - US Patent App. 20/030/061,490, 2002 - freepatentsonline.com

... and/or **data on storage devices** (hard drives, flash cards, disc drives, optical disc **storage**) ... also offer an option, perhaps for a fee, for automatically notifying a **data store** or ... Based upon the contact information, the system automatically sends an **email** to the Administrative contact ...

Cached

System and method for distribution of security policies for mobile devices

RW Head, DR Mann - US Patent App. ..., 2002 - freepatentsonline.com

... These devices offer a unique blend of lightweight mobility, convenience and functionality providing an **instant-on access** to information such as **email**, calendar, address book and other ... The encryption **module 608** decrypts the **data** prior to **storage** on the policy **data** store in ...

Cached

Method for identifying copyright infringement violations by fingerprint detection

AC Abajian - US Patent App. 10/252,903, 2002 - Google Patents

... of **web pages** and/or **data on storage devices** (hard drives, flash cards, disc drives, optical disc **storage**) ... of querying other search **engines**, manu- ally generated sets of web page URLs, and processing **proxy cache logs** (ie ... [0041] Promoter 62, formats and prioritizes **data** for a ...

Gatekeeper architecture/features to support security policy maintenance and distribution

DR Mann, RD Burchett, - US Patent App. 10/ ..., 2002 - Google Patents

... convenience and functionality providing an instant-on access to information such as **email**, calendar, address ... to provide a new gen- eration of devices that may access corporate **data** in an ... Finally, since these devices have significant **storage**, com- puting power and operate in a ...

Server, computer memory, and method to support security policy maintenance and distribution

DR Mann, RW Head - US Patent App. ..., 2002 - freepatentsonline.com

... These devices offer a unique blend of lightweight mobility, convenience and functionality providing an instant-on access to information such as **email**, calendar, address book and other ... The encryption **module 608** decrypts the **data** prior to **storage** on the policy **data** store in ...

Cached

[PDF] A Content-based Image Search Engine in Cyberspace

Y Lausberg - 1996 - Citeseer

... idea of achieving this is the concept of content-based retrieval and **storage** of image ... CONNECTIVITY Version 15 - 6/15/96 Internet Bitnet but not Internet **Email** Only (UUCP ... negotiation of **data** representation, allowing systems to be built independently of the **data** being transferred ...

View as HTML - All 5 versions

Method and apparatus for utilizing online presence information

S Glenn, B Schliant, M Rivera, - US Patent App 09/940,773, 2001 - Google Patents

... languages. However, translation **engine** may be configured to convert protocols or **language data**. Communication **module 170** may take the form of an applet and be transmitted to the client device along with the message **data**. Thus ...

[PDF] Integrated mobile operations support for the construction industry: the COSMOS solution

A Meissner, L Bazavanaki, J Mathes, - Proceedings of the 8th ..., 2002 - Citeseer

... for hosts that are only occasionally moved, such as inventory management PCs at **storage** shelters. ... clients do not have the capability to run client-side scripts, and the **data** sent to ... Due to these limitations, the workflow application implemented is **email**-based, with a web interface ...

Download - Related articles - View as HTML - All 8 versions

Methods and systems for analyzing security events

GA Brady, - US Patent App 20/040/260,947, 2003 - freepatentsonline.com

... Preferably, the server 112 will be configured with sufficient processing power, memory, and **storage** to operate ... 408 or message router 432) then transmits the query 138 to the **data** monitor 136 ... an **email** if the resolution of a security event has low importance, an **email** and sound ...

Cached - All 2 versions

Method and apparatus for integrating disparate telecommunication operational support systems

(QSS) and streamlining business processes using a software platform

S Pillai, A Basu, - US Patent App 20/030/ ..., 2002 - freepatentsonline.com

... and unlimited local calling (within the operator's region), as long as the customer's **email** access was ... this invention is not limited only for use with XML, and other **storage** and retrieval ... integration with business functions and back-end systems and services 800; user **data** store to ...

Cached

Methods and systems for analyzing security events

GA Brady, - US Patent App 10/591,429, 2003 - Google Patents

... The query 138 may be, for instance, an **email** message, an audio message, a ... Preferably, the server 112 will be configured with sufficient processing power, memory, and **storage** to operate as ... In one embodiment, the analysis of **data** in a distributed fashion corresponds to one ...

PDF GENERATED

PDF GENERATED

**Providing access to a plurality of message accounts from a single web-based interface**  
 E Mooney, N Duggan, L O'Keefe ... - US Patent App. 20,020 ... , 2001 - freepatentsonline.com  
 ... is able to access and retrieve mail from any other IMAP4rev1 compliant email server ... 1012 includes a control processor 1049 having associated memory 1050 that stores data and program ... 12 are a combination of logic and memory storage areas or program applications, code or ...  
[Cached](#)

**Intelligent network security device**  
 N Zuh - US Patent App. 20,040,030,927, 2003 - freepatentsonline.com  
 ... Second LAN 116 includes a web server ( 110 ), an email server ( 112 ), a server 102 , several workstations ... to receive data from or transfer data to, or both, one or more mass storage devices for ... in a computing system that includes a back-end component, eg, as a data server, or ...  
[Cached](#)

**Method and apparatus for integrating disparate telecommunication operational support systems (OSS) and streamlining business processes using a software platform**  
 S Pillai, A Basu ... - US Patent App. 10,213,517, 2002 - Google Patents  
 ... for data services is additionally more complex because of the heterogeneity of the data application set ... as the number of bytes, the number of higher-level abstractions (number of email or SMS ... connections), but might not be able to enforce a policy that bars HTTP proxy traffic but ...

**A component based architecture for mobile information access**  
 C Pullia, L Xu, D Chakraborty ... - icpp, 2000 - computer.org  
 ... For example, a user wants to print out an email from his/her palmtop using ... In a mobile environment, resources (computation power, memory, storage space, communication channel etc.) are very ... Any information ( data or software component) that is to be delivered to the mobile ...  
[Cached](#) [Related articles](#) - [Library Search](#) - [All 3 versions](#)

[PDF from umbo.edu](#)

**Method and apparatus for utilizing online presence information**  
 S Glenn, B Schiack, M Rivara ... - US Patent App. 20,020 ... , 2001 - freepatentsonline.com  
 ... 20080075343, Electronic portal for information storage and retrieval. April, 2006. Henry ... For example, the message may be forwarded to the intended recipient or a proxy acting on behalf of ... 612 , translation engine translates the content of the message (eg voice or text data) from a ...  
[Cached](#)

**Method and apparatus for dynamic information connection engine**  
 BE Barth, LA Gunn, GE Ivay ... - US Patent App. ... , 2001 - freepatentsonline.com  
 ... An embodiment of the dynamic information connection engine, or search system, specifically addresses, but is not ... a Load Balancing Servlet 404 , a Copilot Servlet 406 , and a Web Relay Proxy Servlet 408 ... Note that while the SID is included in the data sent to these two servlets ...  
[Cached](#)

**Method and apparatus for dynamic information connection engine**  
 BE Barth, LA Gunn, GE Ivay ... - US Patent App. 09 ... , 2001 - Google Patents  
 ... Party unrestricted read access service-defined data-output API 1106 output interface module  
 Between the ... Balancing Servlet 404 , a Copilot Servlet 406 , and a Web Relay Proxy Servlet 408 ... specific interfaces 506 , provider web sites 508 , server sites 510 , and data warehouse 512 ...

**Mining the World Wide Web: an information search approach**  
 G Chang - 2001 - books.google.com  
 ... For further information, send email to <scott.delman@wkap.com ... include the widespread use of microcomputers, advances in hardware (microproces- sors, memory and storage) technologies, increased ... system is that it has flooded us with a large amount of data and information ...  
[Cached](#) [Related articles](#) - [Library Search](#)

**IMobile ME—Lightweight Mobile Service Platform for Peer-to-Peer Mobile Computing**  
 Y Chen, H Huang, Y Wei ... , and societal impact: ... , 2002 - books.google.com  
 ... IMobile supports several inlets for accessing corporate databases, email servers, directories, a ... to add a SyncML devlet to support this XML-based data exchange mechanism. ... mobile devices become more powerful in communication, computation, and storage capabilities, we ...  
[Cached](#) [Related articles](#) - [All 3 versions](#)

**Authentication and entitlement for users of web based data management programs**  
 AH Ahlberg, AP Boer, GL Brand ... - US Patent ... , 2003 - Google Patents  
 ... The system further communicates with the back-end systems for synchronizing data associated with the customers. The sys- tem also accepts and processes security requests from the front-end and back-end servers associated with the suite of Web enabled applications. ...  
[Cached](#) [Related articles](#) - [All 3 versions](#)

**Hitting the distributed computing sweet spot with TSpaces**  
 TJ Lehman, A Cozzi, Y Xiong, J Gottschalk ... - Computer Networks, 2001 - Elsevier  
 ... The use of multiple PIMs then creates multiple, independent storage locations for information ... context, an agent may not be getting timely or consistent access to data, sufficient computing ... Jini lookup and proxy downloading mechanisms are used to tie pods, liaisons and agents ...  
[Cached](#) [Related articles](#) - [All 18 versions](#)

[PDF from psy.edu](#)

**Intelligent configuration bridge system and method for adding supplemental capabilities to an existing high speed data infrastructure**

BS Harrison, X He... - US Patent App. 10/704,648, 2003 - Google Patents  
... [0028] 6. **Limited data storage** ... server that recognizes the end device and, based on the device's credentials, provides it with an IP address and IP configuration **data** ... would need to log into the network before the Internet or any network based applications such as **email** could be ...

**Meta model for an enterprise service architecture**

R Brendle, F Bursung, J Dietl... - US Patent App. ... 2003 - freepatentsonline.com  
... Computer 6 also includes a **data storage** device 8 containing an information repository 18 that defines and ... specified by **front end** application program 12 on multiple instances of a **data type** in ... 64 specifies which keys may be used for mass operations, eg, an **email** action may ...

[Cached](#)

**[PDF] Survey of technology relevant to a user-Grid interface for ATLAS and LHCb**

K Harrison... - 2002 - password.gridpp.ac.uk  
... Job services; • **Data** services; • Info services; ... It is also possible to select a particular Computing Element to run on and introduce an **email** address for job status notifications. ... **Storage** Elements present at each site, the connection port, the size and the mount point. ...  
[Related articles](#) - [View as HTML](#) - [All 17 versions](#)

[\[PDF\] from gridpp.ac.uk](#)

**Digital television application protocol for interactive television**

R Alao, A Delpuch, V Dureau... - US Patent App. ... 2001 - freepatentsonline.com  
... for, a single STB or client device using abstract viewer identifiers comprising pseudonyms or nicknames, full names and PIN **storage** in the ... when going online, the SP provides the ability to connect for a short period of time to access **data** (eg, **email**) then uses the **data** locally ...

[Cached](#)

**Intelligent configuration bridge system and method for adding supplemental capabilities to an existing high speed data infrastructure**

BS Harrison, X He... - US Patent App. 20,040, ... , 2003 - freepatentsonline.com  
... [0028] 6. **Limited data storage** ... Residential and business users have different needs requiring separate ISP services such as **email**, content, applications and network ... these applications for business users may reside on separate physical networks or in separate **data** centers. ...

[Cached](#)

**[PDF] SWAPEROO: a simple wallet architecture for payments, exchanges, refunds, and other operations**

N Daswani, D Borch, H Garcia-Molina... - Proceedings of the ... , 1998 - usenix.org  
... user visit the vendor's web site, or 2) having the vendor send the user **email**. ... **storage**, and for decrypting instrument state information when reading this information back from persistent **storage**. ... In our implementation, the components of the wallet are all private **data** members of ...

[Cached](#) - [Related articles](#) - [View as HTML](#) - [All 23 versions](#)

[\[PDF\] from usenix.org](#)

**[book] E-business and distributed systems handbook: architecture module**

A Umar... 2003 - books.google.com  
... **MODULE (ARCHITECTURES) Data Architectures Data models Data placement Data access**  
Software Architectures Software components Location of components Interactions/interfaces ... The specific issues to be dealt with are **storage** and retrieval of Web **data** in HTML ...

[Cached](#) - [Related articles](#)

**[PDF] Core Grid Functions: A Minimal Architecture for Grids**

J Brooke... - 2001 - Citeseer  
... but which will not support a job initiation service (eg instruments and **storage** systems) ... for Control and Observation in Distributed Environments, [22] • Examples - Monitoring **Data** Archives for ...  
**Delegation** involves generating and sending a proxy certificate and its private key to a ...

[Cached](#) - [Related articles](#) - [View as HTML](#) - [All 11 versions](#)

[\[PDF\] from csu.edu](#)

**Switch engine for risk position discovery in an electronic trading system**

RR May... - US Patent App. 20,040,015,430, 2003 - freepatentsonline.com  
... may be utilized including hard disks, CD-ROMs, optical **storage** devices, or magnetic **storage** devices ... 2) downloading them across the network from a server on the internal; **data** network of ...  
After the user logs on, the user will download (preferably from proxy agent 110 ) the Java ...

[Cached](#)

**Mapping from a single sign-in service to a directory service**

DR blowers, JE Brzak, RB Ward... - US Patent App. ... 2002 - freepatentsonline.com  
... The **email** address and password may be verified by an external trusted authority, which ... of information such as computer-readable instructions, **data** structures, program modules, or other **data**. Computer **storage** media includes, but is not limited to, RAM, ROM, EEPROM, flash ...

[Cached](#)

**E-service to manage contact information and track contact location**

Ks Douvikas, TR Sheehy... - US Patent App. 10/579,373, 2003 - Google Patents  
... , personal **data** 530 535 .Continue with\* , =( A ) new user? [No 540 Ecardfile > 'returns ,  
Registration /Confirmation page J f 545 /User accepts/\*c Yes terms? Ecardfile returns the home

page for the new user (End New Member) ^599 (End New Member) ^599 Email message is ...

# [BOOK] Pervasive computing: The mobile world

U Hansman - 2003 - books.google.com

... 16 Gateways 327 16.1 Connectivity Gateway 327 16.2 Palm Webclipping Proxy Server 328 ... 20.3 The Challenges of Synchronizing Data 389 20.4 Industry Data Synchronization Standards ... Electronic storage, transmission, and access of information are common tasks we rely ...

[Abstract](#) [Full Text](#) [Related Articles](#) [Library Search](#) [Add to favorites](#)

## Customer premises equipment autoconfiguration

KB Lo - US Patent App. 20,020,025,504, 2001 - freepatentsonline.com

... 20050081057, Method and system for preventing exploiting an email message, April, 2005, Cohen et al. ... As those skilled in the art will appreciate, some or all of the software and data contained in memory 204 could also be stored in an external storage device, such as a CD ...

[Cached](#)

## Method and system for overcoming denial of service attacks

M Vango, M Plumb, - US Patent App. 20,020, ... 2001 - freepatentsonline.com

... Shared network resource 210 may comprise a web server, email server, file server, chat server ... components of the present invention may be stored in or implemented in shared mass storage. ... choose amongst the available data packets so as to prioritize some data packets over ...

[Cached](#)

## Digital television application protocol for interactive television

R Aho, M Huntington, W Lam, - US Patent App. ... 2002 - freepatentsonline.com

... The viewer manager supports distributed data capture and storage between the SP and the STB, and ... using abstract viewer identifiers comprising pseudonyms or nicknames, full names and PIN storage in the ... the orders are sent real-time back to the user sent via email to the ...

[Cached](#) [Full Text](#)

## Mapping from a single sign-in service to a directory service

DR Mowers, JE Bozakh, RB Ward, - US Patent App. 10/ ... 2002 - Google Patents

... be screened by the security filter 220 to allow the authorizer 126 to get tickets for a proxy service to ... The email address and password may be verified by an external trusted authority, which sends a communication containing a ... 0055] The conversion between data structures 400 ...

## A generalized digital wallet architecture

N Daswani, D Boneh, H Garcia-Molina, - Commerce, p. 121- ... 2000 - lipubs.stanford.edu

... user visit the vendor's web site, or 2) having the vendor send the user email. ... storage, and for decrypting instrument state information when reading this information back from persistent storage. ... In our implementation, the components of the wallet are all private data members of ...

[Cached](#) [Full Text](#)

<http://pubs.stanford.edu>

## Grid manageable application process management scheme

E Bozak, A Gebhart - US Patent App. 20,050,044,251, 2003 - freepatentsonline.com

... 20090083384, Collaborative Email With Hierarchical Signature Authority, March, 2009, Bhogal et al. ... coupled to receive data from or transfer data to, or both, one or more mass storage devices for ... in a computing system that includes a back-end component, eg, as a data server, or ...

[Cached](#)

## Method and apparatus for network-based portfolio management and risk analysis

W Sobel, A Aleksovski, P Hand, - US Patent App. ... 2003 - freepatentsonline.com

... Event queuing can be FIFO or managed. [0160] 6. EHOs instantiate Proxy Result Objects (PRO), adds them to the session variables, and invokes BDT to handle events. ... [0298] Billing Logging. [0299] Tier 6: Data Access. [0300] Billing Storage. [0301] Login. ...

[Cached](#)

## Method and system for monitoring performance of applications in a distributed environment

JC Chong, LJ Chan, TM Patel, - US Patent App. ... 2003 - freepatentsonline.com

... 20090254619, STATUS-BASED FILTERED EMAIL ALERTS, October, 2009, Kho et al. ... to set the sampling ratio, thereby limiting the amount of data required for storage in the ... and different request strings and after their successful executions, the resulting performance data is to be ...

[Cached](#)

## System and method for integrating network services

RR Sullivan, DF Vrsalovic, - US Patent App. 09/896,999, 2001 - Google Patents

... 2, a logical model of one embodiment of a meta-server 200 is comprised of a plurality of "services" 210 (eg, email services, Web services, data-base services ... 4 configured within a data center ... [0052] Zone: A "Zone" is a named logical grouping of execution or storage resources (eg ...

## Application infrastructure platform (AIP)

TA Rotzb, JL Standee, AE Bevin, - US Patent App. ... 2002 - freepatentsonline.com

... Distributed transaction management allows applications to perform reliable transactions on AIP data stores. ... is also a part of the Applications container 111 and provides one common format for the transmission and storage of messages such as email, voice mail, fax ...

[Cached](#)

## Business-to-business interactions: issues and enabling technologies

[\[PDF\] from csu.edu](#)

B Macqahed, B Benatallah, A Bouguettaya... - ... on Very Large Data ... 2003 - portal.acm.org  
... **Interaction** is also required at a higher level for connect- ing (i) **front-end** with back ... on different ORBs communicate over the Internet through the Internet Inter-ORB Protocol (IIOP ... Electronic Commerce Domain Task Force) reference model which includes a semantic **data** facility [72 ...  
[Cited by 241](#) - [Related articles](#) - [All 25 versions](#)

## Data mining system

J Stern, JW Rothman-shore... - US Patent App ... 2001 - freepatentsonline.com  
... **computer storage**, relatively **easy** protection of digital information from natural disasters and wear, almost instantaneous ... g) The "Post-Processor 51 " which enhances the **data**, in particular analyzes the **data** and adds missing pieces of information, such as **email** addresses. ...  
[Cited by 83](#)

## Application business object processing

R Brendle... - US Patent App, 20,050,021,354, 2003 - freepatentsonline.com  
... interface 420 provides methods for: 1) creating and releasing parameters and values, including elementary types, structures, and objects; 2) setting and getting value **data**; and 3) marshaling **data**. ... Queue **storage** area 510 stores the queue from RPE proxy 15 ...  
[Cited by 1](#)

## System and method for designing, developing and implementing internet service provider architectures

JV Nguyen - US Patent App. 10/075,569, 2003 - Google Patents  
... **protocol** (SMTP) connection Application dependent Memory requirement for **email** server FIG ...  
**Storage** requirement for log archive SaBB Environment dependent **Storage** requirement for ... 61  
Variable Value Description /**data** Environment dependent **Data** (MailStores, web contents ...

## Internetworking system and method for a global telecommunications network

Al Reiter... - US Patent 6,421,727, 2002 - Google Patents  
... for Administration, Commerce, and Transport) EMFE Extract, Merge & Format Engine FDE Firm Data Editor FIH ... Other Credits and Charges PBCH Pre-Bill Cycle Handler PCE Post Composition Engine PCL Print Control Language PPM Post Processing Module PSF Print ...  
[Cited by 11](#) - [Related articles](#) - [All 5 versions](#)

## [PDF] An Implementation of the Server Cache Synchronisation Protocol (SCSP)

[\[PDF\] from hku](#)

SCS Protocol - 1999 - nollab.hku.hk  
... lead to considerable redundancy in stored **data**, with the resultant waste in **storage** space. ... create and query directories of people and information for example user names, **email** address, and ...  
The WHOIS++ server functions as a known **front end**, offering a simple **data** model and ...  
[Related articles](#) - [View as HTML](#) - [All 5 versions](#)

## System and method for multiple data sources to plug into a standardized interface for distributed deep search

Y Fayazbakhsh, GH Kar... - US Patent App ... 2002 - freepatentsonline.com  
... 20020073110, Version collection technique implemented on an intrinsic versioning information **storage** and retrieval system, June ... A ORP interface may be configured as a **proxy** for a consumer or a provider ... The query may be compared to the registrations (eg meta-**data** indexes). ...  
[Cited by 1](#)

## [PDF] A Scalable Data Structure for

[\[PDF\] from dal.ca](#)

APD Server ... 1997 - CiteSeer  
... Possible applications are directory manage- ment, charging of calls, **email**-databases, and multi-media repositories. ... This two-level **storage** di- vides **data** so that permanent **data** is stored on disk and temporary **data** is managed in (virtual) main memory. ...  
[Related articles](#) - [View as HTML](#) - [All 5 versions](#)

## Remote debugging of software

R Brendle, F Brunschwig... - US Patent App. 20,050/ ... 2003 - freepatentsonline.com  
... Computer 6 also includes a **data storage** device 8 containing an information repository 18 that ... Similarly, the meta **data** describing a query in repository 18 defines which query service ... In one example, the service manager **proxy** 14 communicates with service manager 16 using ...  
[Cited by 1](#)

## [BOOK] An experimental framework for executing applications in dynamic grid environments

[\[PDF\] from csu.edu](#)

E Huelzo, DS Mowbray... - 2002 - CiteSeer  
... **Email** your question via the Internet to help@sti.nasa.gov ... to support Grid applications: GRAM Globus Resource Allocation Manager , GASS Global Access to Secondary **Storage** , GSI Grid ... In the current version of our tool, users must explicitly manage their own checkpoint **data** ...  
[Cited by 26](#) - [Related articles](#) - [View as HTML](#) - [Library Search](#) - [All 5 versions](#)

## Remote debugging of software

R Brendle, F Brunschwig... - US Patent App. 10/740,364, 2003 - Google Patents  
... an end user system from a **front-end** application program executing on a **front-end** device acting as a **proxy** to one ... 7-9 are network configurations for remotely debugging a software **module** of the business software application ... [0037] Computer 6 includes a **data storage** device 22 ...





the configuration, provisioning methods, and status of the running **data** center services ...

Systems and methods for intelligent information retrieval and delivery in an information management environment

SC Johnson, CC, Gu... - US Patent App. 20,020/ ..., 2001 - freepatentsonline.com  
 ... 20020147779, Method and computer program product for providing **email** that guides a recipient through a set of associated web ... that deliver **data** objects that include multiple memory units (eg **data** files containing multiple **data** blocks) and/or multiple **storage** device blocks ...

Method and system for furnishing an on-line quote for an insurance product  
 RE Grover, D White, L Hanning... - US Patent App. ... 2002 - freepatentsonline.com  
 ... a web site as a vehicle for getting quote requests for its insurance products via **email**, which generates ... S 41, the screen of the administration tool 160 is pre-filled with the **data** in the ... It is a Unix method for controlling the creation, use, and safe **storage** of passwords that involves ...

A survey of distributed computing, computational grid, meta-computing and network information tools  
 RJ Allan... - Daresbury, Warrington WA4 4AD, UK, 2001 - Citeseer  
 ... Using the standard Internet Inter-ORB Protocol (IIOP), built on top of TCP/IP, a ... Engineering, 0114 University of California San Diego La Jolla, CA 92093 USA Email: rich@cs ... Joint project between Caltech, CERN and Hewlett-Packard is addressing the **data storage** and access ...

Method and system for query-based management of multiple network resources  
 V Rajarajan, K Nedungadi... - US Patent App. ... 2001 - freepatentsonline.com  
 ... 1, may be an **email** system that controls the **email** for a particular network, and ... of information such as computer readable instructions, **data** structures, program modules or other **data**. Memory 204, removable **storage** 208, and non-removable **storage** 210 are all examples of ...

Performance-based supply chain management system and method with automatic alert threshold determination  
 DE Eicher, A Pal, WA Scalzo... - US Patent App. 08/ ..., 2001 - Google Patents  
 ... 70 P Service Catalog Update Module P Business Document Monitor Module Alert Module 76 P ... and users select the ones they will provide, and also allowed to specify **proxy data** feeds 300 ... life cycle Users work to provide transaction history for message sets/**data** feeds specified ...

Switching system  
 S Ferrari, W Stronge, C Cochran... - US Patent App. ..., 2003 - freepatentsonline.com  
 ... 20050172003, Intelligent **email** services, August, 2005, Richardson Jr. ... [0070] FIG. 40 depicts configuration of **storage** by the volume manager in accordance with another aspect of the invention. ... 41 depicts **data** structures for keeping track of virtual devices and sessions. ...

Performance-based supply chain management system and method with metaalerting and hot spot identification  
 DE Eicher, Jr, A Pal, WA Scalzo... - US Patent App. 09/ ..., 2001 - Google Patents  
 ... Approval Module Service 66 Catalog J+ Update Module Business Document Monitor Module 76 P ..., select the ones they will provide, and also allowed to specify **proxy data** feeds 300 ... life cycle 306 Users work to provide transaction history for message sets/**data** feeds specified ...

Stateless, event-monitoring architecture for performance-based supply chain management system and method  
 DPM Stowell... - US Patent App. 08/765,345, 2001 - Google Patents  
 ... MESSAGES SUPPLIER # 24 DATA EXTRACTION FROM MESSAGES DATA ALLOCATION AND STORAGE DATA STORAGE SYSTEM ... they will provide, and also allowed to specify **proxy data** feeds 300 ... work to provide transaction history for message sets/**data** feeds specified ...

System and method for representing an object used in management of multiple network resources  
 V Rajarajan, K Nedungadi... - US Patent App. ... 2001 - freepatentsonline.com  
 ... 1, may be an **email** system that controls the **email** for a particular network, and ... of information such as computer readable instructions, **data** structures, program modules or other **data**. Memory 204, removable **storage** 208, and non-removable **storage** 210 are all examples of ...

Identity based encryption from the Tate pairing to secure email communications  
 M Boldyreva - 2002 - Citeseer  
 ... Regardless of the choice of the function f, which applies a transformation to the key and **data**, the ... traction of users' private keys. To demonstrate the proposed **email** system, a Trust ... processed by an IDL compiler to produce **proxy** and stub code for the interface. The ...

Web services based architecture in computational web portals

[\[PDF\] from cs.cmu.edu](#)

[\[PDF\] from cs.cmu.edu](#)

C Yoon - 2003 - [CiteSeer](#)

... 109 7.4 Conversion the legacy output **data** into XML format using the **email** notification ... mac  
e inert objects on persistent **storage** , formation necessary to inst ... application-defined **data** types,  
and a remote procedure call (RPC) convention and responses. ...

[Direct link](#) - [Related articles](#) - [View as HTML](#) - [Library Search](#) - [All 6 versions](#)

[PDF] [Rule-based Application Integration using XML](#)

[PDF from eLibrary.ca](#)

H Zhang - 2001 - [eLibrary.ca](#)

... **EMAIL ANSWER TASK** ... 48 ... interfere with the modules that parse, validate,  
and understand **data** to and from the ... Scalability: The mediator **engine** should  
be capable of interacting with a large number of ...

[Related articles](#) - [View as HTML](#) - [All 3 versions](#)

[Method and system for task based management of multiple network resources](#)

V Rajarajan, K Verlungach, ... - US Patent App. ... - 2001 - [freepatentsonline.com](#)

... 1, may be an **email** system that controls the **email** for a particular network, and ... of information  
such as computer readable instructions, **data** structures, program modules or other **data**. Memory  
204, removable **storage** 208, and non-removable **storage** 210 are all examples of ...


[Cached](#)

[Performance-based supply chain management system and method with collaboration environment  
for dispute resolution](#)

DE Eichler, A Pal, WA Sogizo, ... - US Patent App. 09/ ... - 2001 - [Google Patents](#)

... 68 Linking **Module** 70 Service 1 66 Catalog L J Update **Module** Business Document Monitor  
**Module** -72 12 ... and users select the ones they will provide, and also allowed to specify **proxy data**  
feeds 300 ... to monitor but not on KPI list 408 User allowed to specify other **data** feeds No ...

 [Create email alert](#)

Google   
Result Page: 1 2 3 4 [Next](#)

email data storage proxy module engine "front end"

[Search](#)

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2011 Google